TOSHIBA

E-STUDIO 408s

Product brochure

- A4 monochrome multifunction systems with full functionality to print, scan, copy and fax.
- Impeccable document output quality with an impressive print speed of up to 40/44 pages per minute respectively.
- > Eco-friendly features and optimised energy consumption to save resources.





ALL-IN-ONE



If you are looking for a powerful multifunction system packed with features, search no more. The e-STUDIO408s and e-STUDIO448s are true all-rounders which will boost your efficiency. Via the large touch screen you can easily access all functions and apps, which are installed on the systems.

A print speed of 40 and 44 pages per minute and a maximum paper capacity of 900 and 2,000 sheets respectively, ensure the e-STUDIO408s and e-STUDIO448s cover the needs of small-and medium-sized companies and workgroups. Thanks to the flexible connectivity possibility and the support of mobile printing they also meet the requirements of modern business workflows. And with security issues being more and more relevant in today's world, we have made sure to implement various security features to prevent unauthorised access to the systems and allow you to protect your documents.

To ensure an optimised power consumption and reduce the impact your business has on the environment, the e-STUDIO408s and e-STUDIO448s offer various print and energy-save settings. These will help you save valuable resources and money.

CONFIGURATION



SPECIFICATIONS

General

Print Speed 40/44 ppm

Warm-up Time Approx. 9 seconds (from sleep mode)

Paper Size & Weight A6-A4/custom, 60-120 g/m² (Cassette)

76x127 mm - 216x356 mm, 60-216 g/m² (Bypass)

Paper Capacity <u>e-STUDIO4088</u>

1x 250 sheets (Cassette), 1x 100 sheets (Bypass)

Maximum 900 sheets

e-STUDIO448s:

1x 250 sheets (Cassette), 1x 100 sheets (Bypass)

Maximum 2,000 sheets

Inner Output Tray 150-sheet/250-sheet capacity

Automatic Duplex A4/custom, 60-90 g/m²

Control Panel 10.9 cm (4.3") Colour touch panel

Memory <u>e-STUDIO408s:</u>

Standard: 1 GB, Maximum: 1 GB (no HDD)

e-STUDIO448s:

Standard: 2 GB, Maximum: 2 GB - 500 GB HDD

Interface 10Base-T/100Base-TX/1000Base-T (incl. IPv6),

High Speed USB 2.0,

WLAN¹⁾ (IEEE802.11 ac/a/b/g/n 2x2 MIMO Wireless)

Dimension & Weight <u>e-STUDIO408s:</u>

399 x 430 x 467 mm (W x D x H), ~ 19.4 kg

e-STUDIO448s

489 x 430 x 477 mm (W x D x H), ~ 20.6 kg

Starter Kit Starter cartridge with Toner and Imaging unit

Print

Resolution Maximum 1,200 x 1,200 dpi
First Print Output Time Approx. 6.25/6 seconds

Page Description

Language

PCL 6, PCL 5, PostScript 3 and PDF v1.7

emulation, XPS, PPDS

Supported Systems Windows 10/8/8.1/7, Windows Server 2016/ Server

2012/Server 2008 (32/64 bit), Windows Server 2012 R2/Server 2008 R2 (64bit), Mac OS X 10.6-10.13,

Linux/Unix, Novell NetWare, Citrix, SAP

Mobile Printing AirPrint, Mopria Print Service, Google Cloud Print

Print Functions
Universal Printer Driver, Print from USB, Print from SharePoint¹⁾, Multiple pages per sheet, Envelope

printing

Scan

Resolution Colour: max. 600 x 600 dpi

Mono: max. 1,200 x 1,200 dpi (via platen, network

or USB TWAIN driver)

Scan Speed <u>e-STUDIO408s</u>:

Simplex: Colour/Monochrome 20/42 ipm (300 dpi) Duplex: Colour/Monochrome 10.5/20 ipm (300 dpi)

e-STUDIO448s:

Simplex: Colour/Monochrome 22/42 ipm (300 dpi) Duplex: Colour/Monochrome 44/84 ipm (300 dpi)

Document Feeder Simplex/Duplex: 50 sheets, A6-A4/custom,

52-120 g/m²

File Formats

TIFF, JPEG, PDF, Secure PDF, PDF/A, XPS

Scan Functions

WS Scan, Scan to E-Mail, Scan to USB, Scan to File, Scan to SharePoint¹⁾, Scan preview,

e-STUDIO Scan, TWAIN

Copy

Resolution Maximum 600 x 600 dpi
First Copy Output Time Approx. 6.5/6 seconds

 Zoom
 25 - 400%

 Copy Modus
 Text, Text/Photo

Copy Functions Multiple pages per copy, Mixed-size copy,

Margin Shift, ID Card copy

Fax

Communication Super G3, G3

Transmission Speed Approx. 3 seconds per page **Compression** JBIG, JBIG2, MMR, MR, MH, JPEG

Fax Functions Colour fax, Speed Dial (up to 500 destinations),

Group dialing, Network fax

Incoming Fax Routing To shared folders, E-Mail

System & Security

Device Management e-BRIDGE Fleet Management System¹⁾

System Features Energy saving modes, Automatic toner saturation/ darkness adjustment. Remote User Interface¹⁾

Accounting & Security Private print, IP address filter, Port filter,

Support of SNMPv3, SSL and IPsec protocols, 802 1x authentication¹⁾ Operator Panel Lock

802.1x authentication¹⁾, Operator Panel Lock, Non-volatile memory wipe, Hard disk encryption²⁾, Automatic hard disk wiping²⁾, End-of-life disk

wiping²⁾

Options

250-sheet Drawer 250-sheet capacity, A5-A4, 60-120 g/m²

550-sheet Drawer 550-sheet capacity, A5-A4, 60-120 g/m²

Swivel Cabinet

Adjustable Printer Stand
User Flash Memory
Wireless LAN Module
Forms & Barcode Card

PRESCRIBE Card
IPDS Card

Security Element

1) Optional 2) e-STUDIO448s only







About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries – ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbHCarl-Schurz-Str. 7
41460 Neuss
Germany

Telephone +49 2131-1245-0

Website

www.toshibatec.eu

Together Information is Toshiba's vision for how people and organisations
create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industryspecific solutions, all of which reflect Toshiba's commitment to the future of the planet.



